

<b>stock #</b>	<b>Item</b>	<b>Size</b>	<b>Capacity</b>	<b>MOC</b>	<b>Manufacturer</b>	<b>Plant no.</b>	<b>Description</b>
7836-1	Air compressor	3500 HP	25,540 SCFM @ 39 psia	steel	Allis Chambers	C-1401	Manufacturer - ALLIS CHALMERS Model No. - v-903, Serial No. - 1650-03088 Driver: General Electric 3500 BHP, 4160V Discharge: 25,540 SCFM @ 39.0 PSIA
7836-2	Air compressor	2500 hp	37.5 psia	Steel	Elliot	C-1101	Compressor Manufacturer – Elliot, Model No. 18S602, Speed: 4650 RPM, Rated HP: 2170, Inlet Capacity: 22,850 SCFM Discharge Pressure: 37.5 PSIA, Max Allowable Pressure: 48 PSIA Max Allowable Temp: 450F, 2500 HP motor,
7836-3	Briquetter				Komarek Greaves Co.	P-0602	MA Briquetter & Screw Feeder Manufacturer: Komarek Greaves Co. 2 pocket across
7836-4	Drum flaker	5 ft x 7 ft		Chrome plated	Goslin Birmingham	M-0517	Flaker Drum, Manufacturer: Goslin Birmingham 7' x 5' Diameter, serial no. 1267-68-1
7836-5	Storage Bullet	9 ft x 66 ft	30,000 gallon	steel	Trinity	F2102A	Butane Storage bullet, TRINITY MFG. CO, Material: SA 612-B, NB# 112748, shell 0.6733 inch thick, head 0.387 inch thick, serial # 101094, Built: 1973, 9' x 66', 30,000 gallons, Design Pressure: 250 psi, Design Temp 125 F
7836-6	Storage Bullet	9 ft x 66 ft	30,000 gallon	steel	Trinity	F2102A	Butane Storage bullet, TRINITY MFG. CO, Material: SA 612-B, Built: 1973, 9' x 66', 30,000 gallons, Design Pressure: 250 psi, Design Temp 125 F
7836-7	Storage Tank	Approx 12 ft x 15 ft	12,500 gallon	Stainless Steel	Nooter serial #86582	F304	NOOTER CORP., Size: 14'6" X 12'2.5" D., Design Press: ATMOS., Design Temp. 250 F, Vertical, flat bottom, slightly conical top
7836-8	storage tank	approx 12 ft x 16 ft	13,000 gallon	316 SS	HAMILTON TANKS	F1506	vertical, flat bottom, slightly conical top, Built: 1997, Capacity 13,000 GAL, Size: 16' X 12' D., Material: 316 SS, Design Pressure: 2 psi
7836-9	Storage Tank with agitator	approx 12 ft x 18 ft	16,000 gallon	stainless steel	PIERSOL PINE MFG. CO.	F-4518	Manufacturer: PIERSOL PINE MFG. CO. Capacity 18'10" X 12' D., Size 16,000 gallons Design Pressure Atmospheric, Design Temp 350 F flat to, flat bottom, vertical, serial # 9342-0

7836-10	storage tank	14' diameter x 14' high	16,000 gallon	304 SS	PITTSBURGH DES MOINES STEEL	F-1303	Manufacturer: PITTSBURGH DES MOINES STEEL Built 1968, Material 304 SS, Size: 14' diameter x 14' high Capacity 16,000 GAL, Design Pressure: Atmospheric vertical, flat bottom, slightly dished top
7836-11	storage tank	11' X 14'	10,300 gallon	304 SS	SHARPSVILLE STEEL	F-0501-A	Manufacturer: SHARPSVILLE STEEL Built: 1976, Material: 304 SS, Size: 11' X 14' Flat top an bottom
7836-12	storage tank	Size: 27' X 12' D.	23,000 GAL		PIERSOL PINE MFG. CO.	F-4303	Manufacturer: PIERSOL PINE MFG. CO. Material: SA-240, Built: 1976, Size: 27' X 12' D. Capacity: 23,000 GAL, Design Pressure: 6 in H2O, Design Temp. 250 F, flat bottom, vertical
7836-13	storage tank	12' X 20'	16,400 GAL	316L SS	HAMILTON TANKS	F-101	Manufacturer: HAMILTON TANKS, Built: 1998 Material: 316L SS, Size: 12' X 20', Capacity: 16,900 GAL Design Pressure: 2.5 PSI, Design Temp. 250 F vertical, API650,
7836-14	storage tank	8' x 13'	5,000 gallons	316 SS	NOOTER CORP.	F-507	Manufacturer: NOOTER CORP., Built: 1975, Material: 316 SS, Size 316 SS, Capacity: 5,000 gallons, Design Pressure: Atmospheric, Design Temp. 250 F Flat top and bottom
7836-15	storage tank	approx 11 x 16	10,000 gal	SS		F150?	flat top and bottom
7836-16	storage tank	appox 12 x 10	9000 gal	SS		F1305?	flat top and bottom
7836-17	storage tank	13'9" x 10	11,000 gal	316 SS	Nooter	F4305	Manufacturer: NOOTER Built: 1976, Size: 13.9' wide X 10' high Capacity: 11,000 Gal, Material: SS per A-240 TP-316 Design Temp; 200F, Design Pressure: 6 inches H2O. slightly conical top, flat bottom, 1985
7836-18	storage tank	9' x 14'	6,000 gallon	304 SS	BUFFALO TANK	F4304	Manufacturer: BUFFALO TANK, Material: 304 SS, Built: 1974, Size: 14' X 9' D., Capacity: 6000 GAL Design Temp: 250 F
7836-19	Column	10 ft x 36 ft		316L	Colonial Iron	D-501	Column, Manufacturer: Colonial Iron Year Built: 1960, MAWP: 25 psi, Design Temp. 400F Shell Material: A240-316L, Length: 36' 6", Diameter: 10' 20 V Grid Trays, 14 gauge, 316L SS, .250 opening (392 per tray) on 20 ft skirt

7836-20	Column	8 ft x 36 ft		SS		D1501	
---------	--------	--------------	--	----	--	-------	--